

PRODUCT LIST

Find the right joint profile for your requirements here based on various criteria. Furthermore, the data sheets and the tender texts for the various profiles are available for download in the table, among others.

Do you have any questions about technical details? Please contact us by e-mail at office@floorbridge.com or by phone +43 7233 200 30.













We are looking forward to your inquiry!





Carpark profiles	Max. joint width in underground (mm)	Total horizontal joint movement (mm)	Total vertical joint movement (mm)	Loads	Technical Data sheet	Specifications gaeb. files available on request	
						New construction	Renovation
FloorBridge CPS 20/50	50	50 (-20/+30)	30 (-15/+15)				
FloorBridge CPS 20/50 DUO	50	50 (-20/+30)	30 (-15/+15)				
FloorBridge CPS 20/50 MONO	50	50 (-20/+30)	30 (-15/+15)				
FloorBridge CPS 20/50 P	50	15 (-5/+10)	10 (-5/+5)				
FloorBridge CPS 20/50 P DUO	50	15 (-5/+10)	10 (-5/+5)				
FloorBridge CPS 20/50 P MONO	50	15 (-5/+10)	10 (-5/+5)				
FloorBridge CPS 20/50 TD	50	50 (-20/+30)	30 (-15/+15)				









FloorBridge CPS 20/80	80	80 (-30/+50)	50 (-25/+25)				
FloorBridge CPS 20/80 DUO	80	80 (-30/+50)	50 (-25/+25)				
FloorBridge CPS 20/80 MONO	80	80(-30/+50)	50 (-25/+25)				
FloorBridge CPS 20/80 TD	80	80 (-30/+50)	50 (-25/+25)				
FloorBridge CP 20/80	80	50 (-10 /+40)	0				

Industry profiles	Max. joint width in underground (mm)	Total horizontal joint movement (mm)	Loads	Specifications gaeb. files available on request		
				Technical Data sheet	New construction	Renovation
FloorBridge WGX 20/50	50	30 (-10/+20)				
FloorBridge ST 20/30	30	25 (-5/+20)				
FloorBridge ST 30/30	30	25 (-5/+20)				
FloorBridge SL 15/08	8	8 (-3/+5)				
FloorBridge SL 15/05	5	5 (-2/+3)				
FloorBridge RC 20/30	30	25 (-5/+20)				
FloorBridge AC 20/30	30	8 (-4/+4)				

DECLARATION OF PERFORMANCE REQUEST

FloorBridge Connect EPOXY	Technical Data sheet	Materials Safety Data Sheet		Declaration of Performance
	Comp. A	Comp. B		
FloorBridge Connect 03 (rapid)				
FloorBridge Connect 01				
FloorBridge Connect 04				

FloorBridge Connect PMMA	Technical Datasheet	Materials Safety Data Sheet		Declaration of Performance
	Comp. A	Comp. B		
FloorBridge Connect 20				

FloorBridge Additional Products	Technical Data sheet	Materials Safety Data Sheet		Declaration of Performance
	Comp. A	Comp. B		
FloorBridge Finish transparent				
FloorBridge Finish color				
FloorBridge SM Sealing membrane				

FloorBridge Epoxy mortar 300



FloorBridge installation template

